

# Price List

2021





# Ice Machines

Whether you're considering our cubers, flakers or nugget ice machines, our commitment is to provide you with the most simple, reliable and easy-to-use commercial ice machines in the industry.

Ice-O-Matic has worked tirelessly to simplify, enhance and perfect the way ice is made. Offering a full range of highly dependable, commercial ice-making products, including cube ice makers, flake and nugget ice makers, storage bins, dispensers and water filters.

Our innovative, food-safe AgION® antibacterial compound is used to reduce harmful bacteria growth and maintain food safety between cleaning cycles. On top of this, we offer the highest-quality water filtration programs to enhance the purity of the ice, eliminating unwanted tastes, odours and extending the life of the machine.

Ice-O-Matic machines are manufactured from highly-polished, food safe stainless steel and are fully insulated throughout; each ice maker is designed for simplicity, with features such as an easy access cabinet, easy to clean ice-making system and simple-to-use controls.



Shot Style



Grande Cube



Full Cube Style



Half Cube Style



Flake



Nugget

**Ice-O-Matic**   
Ice. Pure and Simple

# Cube Ice Makers

## 'Shot' style Ice Makers with Built-in Storage Bins

Uniquely thimble-shaped and crystal clear, the 'Shot' (or Bistro) cube ice is slow melting, tasteless and odourless - the best there is to add quality and sparkle to refined spirits.

Cube size 29.5 (D) x 30.5 (H) mm

Trending in any bar, restaurant or resort application. All machines are supplied with air cooled units as standard or optional water cooled units.



Model	Code	Price
UCGo45A	UCGo45A	£1,404



Model	Code	Price
UCGo65A	UCGo65A	£1,535

### Technical Info


**Dimensions (mm):** 387 (W) x 641 (H) x 510 (D)  
**Ice production 10°C Water 10°C Air:** 25Kg / 24hr  
**Ice production 10°C Water 21°C Air:** 20.5Kg / 24hr  
**Bin Storage:** 8Kg

### Technical Info

**Dimensions (mm):** 387 (W) x 641 (H) x 510 (D)  
**Ice production 10°C Water 10°C Air:** 28Kg / 24hr  
**Ice production 10°C Water 21°C Air:** 27Kg / 24hr  
**Bin Storage:** 8Kg



Model	Code	Price
UCGo85A	UCGo85A	£2,190



Model	Code	Price
UCG105A	UCG105A	£2,413

### Technical Info

**Dimensions (mm):** 463 (W) x 692 (H) x 566 (D)  
**Ice production 10°C Water 10°C Air:** 40Kg / 24hr  
**Ice production 10°C Water 21°C Air:** 38.5Kg / 24hr  
**Bin Storage:** 15Kg

### Technical Info

**Dimensions (mm):** 463 (W) x 789 (H) x 566 (D)  
**Ice production 10°C Water 10°C Air:** 48Kg / 24hr  
**Ice production 10°C Water 21°C Air:** 47.5Kg / 24hr  
**Bin Storage:** 22Kg


Turn to page 17 for full technical information  
 Turn to page 13 for Accessories



Model	Code	Price
UCG135A	UCG135A	£2,592

#### Technical Info


**Dimensions (mm):** 467 (W) x 790 (H) x 570 (D)  
**Ice production 10°C Water 10°C Air:** 57Kg / 24hr  
**Ice production 10°C Water 21°C Air:** 58Kg / 24hr  
**Bin Storage:** 22Kg



Model	Code	Price
UCG165A	UCG165A	£2,821

#### Technical Info

**Dimensions (mm):** 532 (W) x 909 (H) x 601 (D)  
**Ice production 10°C Water 10°C Air:** 73Kg / 24hr  
**Ice production 10°C Water 21°C Air:** 69Kg / 24hr  
**Bin Storage:** 40Kg





# THE ELEVATION SERIES

INTRODUCING THE ELEVATION SERIES.  
BORN AT A STANDARD WELL ABOVE SEA LEVEL.

The new and groundbreaking Elevation Series from Ice-O-Matic is designed to simplify life.



### Dual Exhaust

Ground breaking technology hot-air discharge from the side and the top of every unit.



### Water Distributon Tube

No bottle brushes required. Easily removed and disassembled for cleaning. Dishwasher safe.



### One - Touch Cleaning

One touch to sanitize, one touch to de-lime. LED's signal when cleaning is required.



### Food Zone

Sanitation has never been easier. Unique plastic food zone parts snap in and out and are dishwasher safe.



# Modular Cube Ice Makers

**Ice-O-Matic**  
Ice. Pure and Simple



Ice-O-Matic Modular Cube Ice Makers are highly reliable and are built with a carefree operation and maintenance system.

They produce pure, crystal-clear cube ice for the most demanding foodservice and hospitality needs. All models need to be paired with a storage bin and are available in either 'Half' or 'Full' cube options.

Half cube size 10 (W) x 22 (D) x 22 (H) mm    Full cube size 22 (W) x 22 (D) x 22 (H) mm

## Slimline Modular Cube Ice Makers



Model	Code	Price
Full Cube	CIM0325FA	£5,136
Half Cube	CIM0325HA	£5,136

### Technical Info

**Dimensions (mm):** 565 (W) x 540 (H) x 616 (D)  
**Ice production 21°C Air 10°C Water:** 132Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 100Kg / 24hr  
**Compatible with Storage Bins:** B25\*, B40\*, B42, B55\*



Model	Code	Price
Full Cube	CIM0525FA	£5,447
Half Cube	CIM0525HA	£5,447

### Technical Info

**Dimensions (mm):** 565 (W) x 540 (H) x 616 (D)  
**Ice production 21°C Air 10°C Water:** 240Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 193Kg / 24hr  
**Compatible with Storage Bins:** B25\*, B40\*, B42, B55\*



Model	Code	Price
Full Cube	CIM0825FA	£8,763
Half Cube	CIM0825HA	£8,763

### Technical Info

**Dimensions (mm):** 565 (W) x 683 (H) x 616 (D)  
**Ice production 21°C Air 10°C Water:** 406Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 323Kg / 24hr  
**Compatible with Storage Bins:** B25\*, B40\*, B42, B55\*



Model	Code	Price
Full Cube	CIM1125FA	£9,676
Half Cube	CIM1125HA	£9,676

### Technical Info

**Dimensions (mm):** 565 (W) x 683 (H) x 616 (D)  
**Ice production 21°C Air 10°C Water:** 425Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 374Kg / 24hr  
**Compatible with Storage Bins:** B25\*, B40\*, B42, B55\*



Model	Code	Price
Full Cube	CIM0335F	£4,895
Half Cube	CIM0335H	£4,895

## Technical Info

**Dimensions (mm):** 768 (W) x 540 (H) x 616 (D)  
**Ice production 21°C Air 10°C Water:** 132Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 100Kg / 24hr  
**Compatible with Storage Bins:** B25, B40, B55, B110\*, B700



Model	Code	Price
Full Cube	CIM0435F	£5,447
Half Cube	CIM0435H	£5,447

## Technical Info

**Dimensions (mm):** 768 (W) x 540 (H) x 616 (D)  
**Ice production 21°C Air 10°C Water:** 209Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 161Kg / 24hr  
**Compatible with Storage Bins:** B25, B40, B55, B110\*, B700



Model	Code	Price
Full Cube	CIM0535F	£6,006
Half Cube	CIM0535H	£6,006

## Technical Info

**Dimensions (mm):** 768 (W) x 540 (H) x 616 (D)  
**Ice production 21°C Air 10°C Water:** 240Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 193Kg / 24hr  
**Compatible with Storage Bins:** B25, B40, B55, B110\*, B700



Model	Code	Price
Full Cube	CIM0635F	£7,863
Half Cube	CIM0635H	£7,863

## Technical Info

**Dimensions (mm):** 768 (W) x 540 (H) x 616 (D)  
**Ice production 21°C Air 10°C Water:** 265Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 204Kg / 24hr  
**Compatible with Storage Bins:** B25, B40, B55, B110\*, B700



Model	Code	Price
Full Cube	CIM0835FA	£8,313
Half Cube	CIM0835HA	£8,313
with Remote Condenser	CIM0835FR	£8,313

## Technical Info

**Dimensions (mm):** 768 (W) x 683 (H) x 616 (D)  
**Ice production 21°C Air 10°C Water:** 418Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 329Kg / 24hr  
**Compatible with Storage Bins:** B25, B40, B55, B110\*, B700

Turn to page 19 for full technical information  
 Turn to page 13 for Accessories



Model	Code	Price
Full Cube	CIM1135FA	£9,676
Half Cube	CIM1135HA	£9,676
with Remote Condenser	CIM1135FR	£9,676

## Technical Info

**Dimensions (mm):** 768 (W) x 689 (H) x 610 (D)  
**Ice production 21°C Air 10°C Water:** 425Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 374Kg / 24hr  
**Compatible with Storage Bins:** B25, B40, B55, B110\*, B700  
 (also available as 560mm wide machine CIM1125)

Note: These Ice Makers require a bin adaptor to fit a Storage Bin (sold separately). See page 13 for Adaptor Kits.



Image of Twins on a Bin  
(2 x CIMo825FA & B110 Bin)

## Twins On A Bin

Model	Code	Price
Full Cube	2x CIMo825FA + B110	£20,143
Half Cube	2x CIMo825HA + B110	£20,143
with Remote Condenser	2x CIMo825RA + B110	£20,143

### Technical Info

**Combined Dimensions (mm):** 1219 (W) x 1953 (H) x 787 (D)  
**Ice production 21°C Water 10°C Air:** 836Kg / 24hr  
**Ice production 32°C Water 21°C Air:** 658Kg / 24hr  
**Compatible with Storage Bins:** B110 (KBT-222 adapter also required)

## Remote Condensers

Ice-O-Matic CIMo635, CIMo835, CIM1135 and CIM1545 models can be specified with Remote Condenser Units. Remote Condensers reduce noise in your environment and also move the warm exhaust air outside to decrease internal air-conditioning. Constructed from corrosion resistant galvanised steel and salt protection thrown in, free of charge.

Model	Code	Price
For use with CIMo535 & CIMo635	RCA-1061	£1,640
For use with CIMo835, CIM1135 & CIM1445	RCA-2061	£1640



Turn to page 19 for full technical information  
 Turn to page 13 for Accessories

Note: \*These Ice Makers require a bin adaptor to fit a Storage Bin (sold separately).  
 See page 13 for Adaptor Kits.

# Cube Ice Makers

'Half' and 'Full' style Ice Makers with Built-in Storage Bins



## Full Cube Style

The perfect complement to any cocktail or beverage – make drinks look and taste better with this long-lasting, classic ice cube. The most popular choice for large volume applications like bagging and bulk cooling.

Cube size 22 (W) x 22 (D) x 22 (H) mm



## Half Cube Style

This smaller, easier to handle ice is perfect for blended drinks due to its ability to break down and create a smoother finish..

Cube size 10 (W) x 22 (D) x 22 (H) mm



Model	Code	Price
Full Cube Ice Maker	ICEU225F	£4,370
Half Cube Ice Maker	ICEU225H	£4,370

### Technical Info

**Dimensions (mm):** 610 (W) x 991 (H) x 610 (D)  
**Ice production 10°C Water 21°C Air:** 96Kg / 24hr  
**Ice production 21°C Water 32°C Air:** 65Kg / 24hr  
**Bin Storage:** 34Kg



Model	Code	Price
Half Cube Ice Maker	ICEU305H	£5,135

### Technical Info

**Dimensions (mm):** 762 (W) x 991 (H) x 737 (D)  
**Ice production 10°C Water 21°C Air:** 136Kg / 24hr  
**Ice production 21°C Water 32°C Air:** 101Kg / 24hr  
**Bin Storage:** 59Kg

Turn to page 18 for full technical information  
 Turn to page 13 for Accessories

# Modular Nugget Ice Makers

Adding perfection to any fountain drink, smoothie or refreshing beverage, our highly desired Nugget Ice is the soft, chewable, longer-lasting ice that consumers love and keep coming back for again and again.

Nugget size 12.7 (H) x 9.55 (D)mm

It dispenses well, blends fast and displaces liquid better than cubes. Increased profits and increased customer satisfaction make this the perfect ice for restaurants, convenience stores and healthcare.



Model	Code	Price
Nugget Ice Maker	GEM0655	<b>£9,214</b>
Technical Info		

**Dimensions (mm):** 533 (W) x 686 (H) x 610 (D)  
**Ice production 21°C Air 10°C Water:** 317Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 236Kg / 24hr  
**Compatible with Storage Bins:** B25\*, B40\*, B42\*, B55\*, B110\*



Model	Code	Price
Nugget Ice Maker	GEM0955	<b>£11,436</b>
Technical Info		

**Dimensions (mm):** 533 (W) x 686 (H) x 610 (D)  
**Ice production 21°C Air 10°C Water:** 478Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 349Kg / 24hr  
**Compatible with Storage Bins:** B25\*, B40\*, B42\*, B55\*, B110\*

## Grande Cube Maker

A large format ice cube that's nearly twice the size of our full cube. The grande cube is perfect for fine dining, cocktails and nightclubs, as well as bagging.

Cube size 22 (W) x 29 (D) x 31 (W) mm



Model	Code	Price
Grande Cube Ice Maker	CIM0835GA	<b>£8,313</b>
Technical Info		

**Dimensions (mm):** 768 (W) x 683 (H) x 616 (D)  
**Ice production 21°C Air 10°C Water:** 383Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 322Kg / 24hr  
**Compatible with Storage Bins:** B25, B40, B55, B110\*, B700

Turn to page 18 for full technical information  
 Turn to page 13 for Accessories

Note: \*These Ice Makers require a bin adaptor to fit a Storage Bin (sold separately).  
 See page 40 for Adaptor Kits.

# Modular Flake Ice Makers

Ice-O-Matic Modular Flake Ice Makers offer a variety of practical, reliable options for carefree operation. Constructed for tight space restrictions and low height

requirements, Ice-O-Matic Flake Ice Makers produce slow-melting quality ice, perfect for medical, restaurant, and supermarket environments.



Model	Code	Price
Flake Ice Maker	MF10805	£8,889

#### Technical Info

**Dimensions (mm):** 533 (W) x 686 (H) x 610 (D)  
**Ice production 21°C Air 10°C Water:** 343Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 259Kg / 24hr  
**Compatible with Storage Bins:** B25\*, B40\*, B42\*, B55\*, B110\*

Turn to page 20 for full technical information  
 Turn to page 13 for Accessories



Model	Code	Price
Flake Ice Maker	MF1255	£10,882

#### Technical Info

**Dimensions (mm):** 533 (W) x 686 (H) x 610 (D)  
**Ice production 21°C Air 10°C Water:** 506Kg / 24hr  
**Ice production 32°C Air 21°C Water:** 375Kg / 24hr  
**Compatible with Storage Bins:** B25\*, B40\*, B42\*, B55\*, B110\*

# Flake Ice Makers with Built-in Storage Bins

Our Flake ice is ideal for presentation and preservation of seafood, produce and perishable food items. Maintains food hydration for a longer period for a fresh and consistent display. Also perfect for use in bakeries, food transport and healthcare applications.



Model	Code	Price
ICEF155	UCF165	£4,874

#### Technical Info

**Dimensions (mm):** 529 (W) x 796/921 (H) x 626 (D)  
**Ice production 10°C Air 10°C Water:** 70Kg / 24hr  
**Ice production 21°C Air 15°C Water:** 64Kg / 24hr  
**Bin Storage:** 25Kg

Turn to page 20 for full technical information  
 Turn to page 13 for Accessories

Note: \*These Ice Makers require a bin adaptor to fit a Storage Bin (sold separately).  
 See page 13 for Adaptor Kits.

# Storage Bins for Modular Cube Ice Makers

Our convenient design includes an extra-large door opening and a built-in scoop holder so you never have to search for the scoop again.

One-piece, polyethylene bin liners and industrial foam insulation prevent ice from melting, so your customers get crystal-clear ice every time.

Every Ice-O-Matic bin features height-adjustable legs and is constructed with practicality in mind for years of carefree operation.



Model	Code	Price
Storage Bin	B25	£1,345

#### Technical Info

**Dimensions (mm):** 762 (W) x 711 (H) x 787 (D)  
**Bin Storage:** 112Kg



Model	Code	Price
Storage Bin	B40	£1,771

#### Technical Info

**Dimensions (mm):** 762 (W) x 953 (H) x 787 (D)  
**Bin Storage:** 156Kg



Model	Code	Price
Storage Bin	B42	£1,771

#### Technical Info

**Dimensions (mm):** 559 (W) x 1270 (H) x 787 (D)  
**Bin Storage:** 160Kg



Model	Code	Price
Storage Bin	B55	£1,988

#### Technical Info

**Dimensions (mm):** 762 (W) x 1270 (H) x 787 (D)  
**Bin Storage:** 232Kg



Model	Code	Price
Storage Bin	B110	£2,797

#### Technical Info

**Dimensions (mm):** 1219 (W) x 1270 (H) x 787 (D)  
**Bin Storage:** 388Kg



Model	Code	Price
Storage Bin	B700	£6,054

#### Technical Info

**Dimensions (mm):** 762 (W) x 1524 (H) x 787 (D)  
**Bin Storage:** 308Kg

Turn to page 21 for full technical information  
 View page 13 for Accessories

# Ice Machine Accessories

	Name	Description	Suitable for	Code	Price
	Drain Pump - External	-	All Ice models	99-05-860	<b>£275</b>
	Plinth	600mm tall	UCGo45A UCGo65A UCGo85A UCG105A UCG135A UCG165A	ICE-SS46 ICE-SS66 ICE-SS86 ICE-SS106 ICE-SS126 ICE-SS186	<b>£240</b>
	Filter	-	UCGo45A to UCG165A ICEU186 to ICEU305 CIM0335 to CIM1545, GEMO655	ICE-FILT1 ICE-FILT2 ICE-FILT3	<b>£56</b> <b>£289</b> <b>£490</b>
	Replacement Cartridge	-	UCGo45A to UCG165A, UCF165 ICEU186 to ICEU305 CIM0335 to CIM1445, GEMO655	ICE-CART1 ICE-CART2 ICE-CART3	<b>£117</b> <b>£133</b> <b>£287</b>

## Adapter Kits for Modular Cube Ice Makers

Name	Description	Suitable for	Compatible with	Code	Price
Adaptor Kit BPF1	To fit machines 762mm wide	CIM0335, CIM0435, CIM0635, CIM0835, CIM1135	B110 Storage Bin	BPF1	<b>£330</b>
Adaptor Kit KBT19	To fit machines 559mm wide	CIM0325, CIM0525, CIM0825, CIM1125, GEMO655, GEMO955, MFI0805, MFI1255	B25, B40 and B55 Storage Bins	KBT19	<b>£330</b>
Adaptor Kit KBT23	To fit machines 533mm wide	CIM0325, CIM0525, CIM0825, CIM1125, GEMO655, GEMO955, MFI0805, MFI1255	B110 Storage Bin	KBT23	<b>£330</b>
Adaptor Kit KBT24	To fit machines 533mm wide	GEMO655, GEMO955, MFI0805, MFI1255	B42 Storage Bin	KBT24	<b>£435</b>
Adaptor Kit KBT-222	To fit B110 when paired with 2 x 533mm wide Ice Makers	CIM0325, CIM0525, CIM0825, CIM1125	B110 Ice Storage Bin	KBT-222	<b>£435</b>

# Ice Machine Cleaner and Sanitiser



Ice is a food product. Scientific research has shown that certain bacteria and viruses can survive freezing for many hours and can also remain capable of growth in very strong alcoholic drinks. It is therefore important that ice does not become contaminated by airborne particles, food handlers or dirty utensils. The most likely sources of contamination of ice are inadequate cleaning of the ice making machine

or equipment and poor hygiene practices when handling the ice. The ice storage compartment should be cleaned regularly, at least fortnightly, to prevent the build up of bacteria. It should be monitored for any growth of scum or slime and if such growths become apparent, it should be immediately cleaned according to the manufacturer's instructions.

Name	Description	Suitable for	Code	Price
Ice Machine Descaler & Sanitiser	4 x 750ml bottles of cleaner and 2 x 750ml spray sanitiser	All models	IMDS1	<b>£125</b>



# Specifications

Full product details of all Ice-o-Matic products including dimensions, capacities, performance and features.

The specification section provides full technical details of all Ice-O-Matic, products in a tabular format, to make it simple to compare each model side-by-side.



# Cube Ice Machines



	<b>UCG045A</b>	<b>UCG065A</b>	<b>UCG085A</b>	<b>UCG105A</b>	<b>UCG135A</b>	<b>UCG165A</b>
<b>Dimensions</b>						
Width	387mm	387mm	463mm	463mm	467mm	532mm
Depth	510mm	510mm	566mm	566mm	570mm	601mm
Height (including legs)	656mm	656mm	707mm	939mm	940mm	1059mm
<b>Hydraulic specifications</b>						
Min incoming water temperature	5°C (41°F)					
Max incoming water temperature	38°C (100°F)					
Min incoming water pressure	1 bar (14psi)					
Max incoming water pressure*	5 bar (70psi)					
<b>Electrical specifications</b>						
Amps required - Single Phase	13A	13A	13A	13A	13A	13A
<b>Performance</b>						
Ice cube style	Gourmet 20g					
Bin storage	8kg	8kg	15kg	15kg	22kg	40kg
Net weight	37kg	37kg	41kg	44kg	44kg	52kg
Ice production 10°C Water 10°C Air	25kg/24hr	28kg/24hr	40kg/24hr	48kg/24hr	57kg/24hr	73kg/24hr
Ice production 10°C Water 21°C Air	20.5kg/24hr	27kg/24hr	38.5kg/24hr	47.5kg/24hr	58kg/24hr	69kg/24hr
<b>Components</b>						
Condensing Unit	Air	Air	Air	Air	Air	Air
Air Cooled Unit	•	•	•	•	•	•
External drain pump	Optional	Optional	Optional	Optional	Optional	Optional

\*If water pressure exceeds 80psi, a water pressure regulator must be installed.

# Cube Ice Machines



	ICEU225F	ICEU225H	ICEU305F	ICEU305H
<b>Dimensions</b>				
Width	610mm	610mm	762mm	762mm
Depth	610mm	610mm	737mm	737mm
Height (including legs)	991mm	991mm	991mm	991mm
<b>Hydraulic specifications</b>				
Min incoming water temperature	4.5°C (40°F)	4.5°C (40°F)	4.5°C (40°F)	4.5°C (40°F)
Max incoming water temperature	38°C (100°F)	38°C (100°F)	38°C (100°F)	38°C (100°F)
Min incoming water pressure	1.4 bar (20psi)	1.4 bar (20psi)	1.4 bar (20psi)	1.4 bar (20psi)
Max incoming water pressure	4.1 bar (80psi)	4.1 bar (80psi)	4.1 bar (80psi)	4.1 bar (80psi)
<b>Electrical specifications</b>				
Amps required - Single Phase	13A	13A	13A	13A
<b>Performance</b>				
Ice cube style	Full	Half	Full	Half
Bin storage	34kg	34kg	59kg	51kg
Net weight	73kg	73kg	94kg	94kg
Ice production 21°C Air 10°C Water	96kg/24hr	96kg/24hr	136kg/24hr	101kg/24hr
Ice production 32°C Air 21°C Water	65kg/24hr	65kg/24hr	90kg/24hr	90kg/24hr
<b>Components</b>				
Condensing Unit	Air	Air / Water	Air / Water	Air / Water
Air Cooled Unit	•	•	•	•
External drain pump	-	-	-	-

# Grande cube



**Grande Cube Maker  
CIM0835GA**

<b>Dimensions</b>	
Width	768mm
Depth	616mm
Height (including legs)	683mm
<b>Hydraulic specifications</b>	
Min incoming water temperature	4.5°C (40°F)
Max incoming water temperature	32°C (100°F)
Min incoming water pressure	1.4 bar (20psi)
Max incoming water pressure	4.1 bar (60psi)
<b>Electrical specifications</b>	
Amps required - Single Phase	16A
<b>Performance</b>	
Shipping weight	105kg

# Modular cube Ice Makers



**CIM0325FA**  
**CIM0325HA**



**CIM0525FA**  
**CIM0525HA**



**CIM0825FA**  
**CIM0825HA**



**CIM1125FA**  
**CIM1125HA**



**CIM0335F**  
**CIM0335H**



**CIM0435F**  
**CIM0435H**

Dimensions						
Width	565mm	565mm	565mm	565mm	768mm	768mm
Depth	616mm	616mm	616mm	616mm	616mm	616mm
Height	540mm	540mm	683mm	540mm	540mm	540mm
Hydraulic specifications						
Min incoming water temperature	4.5°C (40°F)	4.5°C (40°F)	4.4°C (40°F)	4.5°C (40°F)	4.4°C (40°F)	4.4°C (40°F)
Max incoming water temperature	38°C (100°F)					
Min incoming water pressure	1.4 bar (20psi)					
Max incoming water pressure	4.1 bar (80psi)					
Electrical specifications						
Amps required - Single Phase	16A	16A	16A	16A	16A	16A
Performance						
Ice cube style	Full / Half					
Net weight	68kg	75kg	68kg	75kg	65.7kg	70.3kg
Ice production 21°C Air 10°C Water	132kg/24hr	240kg/24hr	406kg/24hr	425kg/24hr	132kg/24hr	209kg/24hr
Ice production 32°C Air 21°C Water	100kg/24hr	193kg/24hr	323kg/24hr	374kg/24hr	100kg/24hr	161kg/24hr
Components						
Condensing Unit	Air	Air	Air	Air	Air	Air
Air Cooled Unit	•	•	•	•	•	•
Integral drain pump	-	-	-	-	-	-



**CIM0535F**  
**CIM0535H**



**CIM0635F**  
**CIM0635H**



**CIM0835FA**  
**CIM0835HA**



**CIM0835FR**



**CIM1135FA**  
**CIM1135HA**



**CIM1135FR**

Dimensions						
Width	768mm	768mm	768mm	768mm	768mm	768mm
Depth	616mm	616mm	616mm	610mm	616mm	610mm
Height	540mm	540mm	683mm	660mm	689mm	660mm
Hydraulic specifications						
Min incoming water temperature	4.4°C (40°F)	4.4°C (40°F)	4.5°C (40°F)	4.5°C (40°F)	4.5°C (40°F)	4.5°C (40°F)
Max incoming water temperature	38°C (100°F)	38°C (100°F)	38°C (100°F)	38°C (100°F)	38°C (100°F)	38°C (100°F)
Min incoming water pressure	1.4 bar (20psi)	1.4 bar (20psi)	1.4 bar (20psi)	1.4 bar (20psi)	1.4 bar (20psi)	1.4 bar (20psi)
Max incoming water pressure	4.1 bar (80psi)	4.1 bar (80psi)	4.1 bar (80psi)	4.1 bar (80psi)	4.1 bar (80psi)	4.1 bar (80psi)
Electrical specifications						
Amps required - Single Phase	16A	16A	16A	16A	16A	16A
Performance						
Ice cube style	Full / Half	Full / Half	Full / Half	Full / Half	Full / Half	Full / Half
Net weight	70.3kg	72.5kg	100kg	100kg	105kg	105kg
Ice production 21°C Air 10°C Water	240kg/24hr	265kg/24hr	418kg/24hr	413kg/24hr	425kg/24hr	470kg/24hr
Ice production 32°C Air 21°C Water	193kg/24hr	204kg/24hr	329kg/24hr	369kg/24hr	374kg/24hr	420kg/24hr
Components						
Condensing Unit	Air	Remote (VRC2061B)	Air	Remote (VRC1061B)	Air	Remote (VRC1061B)
Air Cooled Unit	•	•	•	•	•	•
Integral drain pump	-	-	-	-	-	-

# Modular Flake Ice Makers



**Nugget Ice Maker  
GEM0955**

**Nugget Ice Maker  
GEM0655**

**Flake Ice Maker  
MF10805**

**Flake Ice Maker  
MF11255**

Dimensions				
Width	533mm	533mm	533mm	533mm
Depth	610mm	610mm	610mm	610mm
Height (including legs)	686mm	686mm	686mm	686mm
Hydraulic specifications				
Min incoming water temperature	4.5°C (40°F)	4.5°C (40°F)	4.5°C (40°F)	4.5°C (40°F)
Max incoming water temperature	38°C (100°F)	38°C (100°F)	38°C (100°F)	38°C (100°F)
Min incoming water pressure	1.4 bar (20psi)	1.4 bar (20psi)	1.4 bar (20psi)	1.4 bar (20psi)
Max incoming water pressure	4.1 bar (80psi)	4.1 bar (80psi)	4.1 bar (80psi)	4.1 bar (80psi)
Electrical specifications				
Amps required - Single Phase	16A	16A	16A	16A
Performance				
Ice cube style	Nugget	Nugget	Flake	Flake
Net weight	110kg	93kg	93kg	93kg
Ice production 21°C Air 10°C Water	478kg/24hr	317kg/24hr	343kg/24hr	506kg/24hr
Ice production 32°C Air 21°C Water	349kg/24hr	236kg/24hr	259kg/24hr	375kg/24hr
Components				
Condensing Unit	Air	Air	Air	Air
Air Cooled Unit	•	•	•	•



**Flake Ice  
UCF165**

Dimensions	
Width	529mm
Depth	626mm
Height (including legs)	796mm/921mm
Hydraulic specifications	
Min incoming water temperature	4.5°C (40°F)
Max incoming water temperature	38°C (100°F)
Min incoming water pressure	1.4 bar (20psi)
Max incoming water pressure*	4.1 bar (80psi)
Electrical specifications	
Amps required - Single Phase	13A
Performance	
Ice cube style	Flaker
Bin storage	25kg
Net weight	59kg
Ice production 10°C Water 10°C Air	70kg/24hr
Ice production 15°C Water 21°C Air	71kg/24hr
Components	
Condensing Unit	Air
Air Cooled Unit	•
Integral drain pump	Optional

# Storage Bins



**B25**

**B40**

**B42**

**B55**

**B110**

**B700**

Dimensions	B25	B40	B42	B55	B110	B700
Width	762mm	762mm	559mm	762mm	1219mm	762mm
Depth	787mm	787mm	787mm	787mm	787mm	787mm
Height (including legs)	711mm	953mm	1270mm	1270mm	1270mm	1524mm
Performance	B25	B40	B42	B55	B110	B700
Net weight	41kg	61kg	61kg	70kg	105kg	136kg
Bin storage	116kg	156kg	170kg	253kg	421kg	308kg

# Standard Installation Prices

The machine connection charge relates to a clear and accessible site with the correct electrical, water and waste services within one (1) metre, uninterrupted, of the machine and that the mains isolator and water valves are operable.

Work carried out during normal working hours  
9am - 5pm, Monday to Friday.

Category	Ice Machines	Ice Machines
	UCG045 to UCG165, ICEU305, ICEU255, UCF165	CIM0335 to CIM1135, GEMO655, MFI0805, MFI1255
<b>Installation Type</b>		
Installation including commissioning	£261	£387
Commissioning only	£119	£119
Removal of existing machine	£119	-

## Time and Material Charges:

Service Labour Charges (Time and materials charges for non-contract customers)	Call Out	Labour p/hour	London Call Out	London Labour p/hour
Working hours (8.30am - 6pm Monday to Friday) (8.30am - 5pm Saturday) (10am - 4pm Sunday)	£113	£92	£12	£98

## Machine Warranties:

Machine Category	Cost per year
Ice Machines	£314

Please note: Extended warranties must be purchased at the time machine is ordered.

# Company Directory

	Personnel	Direct Dial	Mobile	Email
<b>General Enquiries</b>				
Main Line		01432 346018		iceomatic@carpigiani.co.uk
Main Fax		01432 346019		
<b>Key contact</b>				
Brand Director	Adam Lenton	01432 346018	07899 887588	adamlenton@carpigiani.co.uk
Business Development Manager	Katie Roberts	01432 34018	07766 300272	katieroberts@carpigiani.co.uk
<b>Internal Sales Team</b>				
Main Sales Line		01432 346018		iceomaticOrders@carpigiani.co.uk
<b>Service Department</b>				
Service Desk Manager	Sally Field	01432 346018		servicedesk@carpigiani.co.uk
<b>Spares Department</b>				
Main Line		01432 346018		spareparts@carpigiani.co.uk
<b>Technical Support</b>				
Main Line		01432 346018		servicesupport@carpigiani.co.uk
Head of Technical	Duncan Scott	01432 346018		duncanscott@carpigiani.co.uk
<b>Finance Department</b>				
Accounts Main		01432 346018		accounts@carpigiani.co.uk
Finance Manager	Kevin Harris	01432 346018		kevinharris@carpigiani.co.uk

Notes:



Carpigiani House, Coldnose Rd, Rotherwas Industrial Estate, Hereford, HR2 6JL