

# Ice Machine Product Guide







water filters.

Our innovative, food-safe AgION® antibacterial compound is used to reduce harmful bacteria growth and maintain food safety between cleaning cycles. On top of this, we offer the highest-quality water filtration programs to enhance the purity of the ice, eliminating unwanted tastes, odours and extending the life of the machine.

#### Installation Considerations

#### Allow Enough Space for the Following Elements

• The ice maker, bin and water filter • Airflow

#### **Utilities**

- What are the voltage and amperage characteristics of the electrical outlet that will be used for this ice maker?
- Is there a floor drain within 1 meters?
- Is there a water source with water shutoff?
- Are the utilities within I meters of the ice-maker location?

## Sizing Your Ice maker

Does the existing ice maker meet peak usage during the hottest time of the year?

What are the various locations or stations in the establishment that will need ice? Will they be serviced from one or multiple ice makers?

Planning for future growth? Consider building in at least 20% additional capacity on new installations.



## Product Calculator

| Foodservice   | Appoximate ice usage per day  |  |  |  |
|---------------|---|--|--|--|
|               |   |  |  |  |
| Restaurant    | 0.7 kg per person   |  |  |  |
| Cocktail      | 1.4 kg per person per seat  |  |  |  |
| Salad Bar     | 641 kg per cubic meter  |  |  |  |
| Quick service | Drink 0.14 kg per 207-296 ml drink / 0.23 kg per 355-473 ml drink / 0.34 kg per 532-710 ml drink. |  |  |  |
| Cafe          | 0.45 kg per person  |  |  |  |
| Hotel         | Appoximate ice usage per day  |  |  |  |
|               |   |  |  |  |
| Guest ice     | 2.3 kg per room   |  |  |  |
| Restaurant    | 0.7 kg per person   |  |  |  |
| Cocktail      | 1.4 kg per person per seat  |  |  |  |
| Catering      | 0.45 kg per person  |  |  |  |
| Healthcare    | Appoximate ice usage per day  |  |  |  |
|               |   |  |  |  |
| Patient       | 4.5 kg per bed  |  |  |  |

**NOTE:** The chart above outlines the approximate required ice amount per day, depending on application usage and size of venue.





#### The Right Ice

Essentially, there are six main types of ice (options include individual shot style, cubes, half cubes, nugget or grande ice) and depending on the overall drinks mix offered to guests, will determine which machines will provide what an establishment needs.





**Shot Style** 

Uniquely thimble-shaped and crystal clear, the 'Shot' (or Bistro) cube ice is slow melting, tasteless - the best there is to add quality and sparkle to refined spirits.



**Full Cube Style** 

The perfect complement to any cocktail or beverage.. This is the most popular choice for large volume applications like bagging and bulk cooling.



Flake

Flake ice is ideal for presentation and preservation of seafood, produce and perishable food items.



**Grande Cube** 

Specially designed for restaurants, lounges, clubs and bars looking for the perfect ice to complement the perfect cocktail.



Half Cube Style

This smaller, easier to handle ice is perfect for blended drinks due to its ability to break down and create a smoother finish.



Nugget

Adding perfection to any fountain drink, smoothie or refreshing beverage, this highly desired nugget ice is the soft, chewable, longer-lasting ice.



#### THE ELEVATION SERIES

#### INTRODUCING THE ELEVATION SERIES. BORN AT A STANDARD WELL ABOVE SEA LEVEL.

The groundbreaking Elevation Series from Ice-O-Matic is designed to simplify life. Our cube ice machines are easy to clean, easy to service, simple to operate, and environmentally responsible without sacrificing productivity.

The Elevation Series provides clean, dependable ice from an astonishingly user-friendly and energy-efficient machine designed to work as hard as you.

Ice-O-Matic Modular Cube Ice Makers are highly reliable and are built with a carefree operation and maintenance system.

They produce pure, crystal-clear cube ice for the most demanding foodservice and hospitality needs. They are also perfect on a storage bin or dispenser and are available in either 'Half' or 'Full' cube options.



**Dual Exhaust** 

Ground breaking technology hot-air discharge from the side or the top of every unit.



One - Touch Cleaning

One touch to sanitize, one touch to delime. LED's signal when cleaning is required.



Water Distributon Tube

No bottle brushes required. Easily removed and disassembled for cleaning. Dishwasher safe.



Food Zone

Sanitisation has never been easier. Unique plastic food zone parts snap in and out and are dishwasher safe.





#### The Right Ice

The Right Bin

All Available in either Full (F) or Half Cube (H) Ice Cubes



|                                       | CIM0325    | CIM0525    | CIM0825    | CIM1125    |
|---------------------------------------|------------|------------|------------|------------|
|                                       |            |            |            |            |
| Width                                 | 565mm      | 565mm      | 565mm      | 565mm      |
| Depth                                 | 616mm      | 616mm      | 616mm      | 610mm      |
| Height                                | 540mm      | 540mm      | 683mm      | 683mm      |
| Ice production<br>21°C Air 10°C Water | 132kg/24hr | 240kg/24hr | 418kg/24hr | 425kg/24hr |
| Ice production<br>32°C Air 21°C Water | 100kg/24hr | 193kg/24hr | 329kg/24hr | 374kg/24hr |
|                                       |            |            |            |            |



|                         | B25   | B40   | B42    | B55    |
|-------------------------|-------|-------|--------|--------|
|                         |       |       |        |        |
| Width                   | 762mm | 762mm | 559mm  | 762mm  |
| Depth                   | 787mm | 787mm | 787mm  | 787mm  |
| Height (including legs) | 711mm | 953mm | 1270mm | 1270mm |
| Bin storage             | 112kg | 156kg | 160kg  | 232kg  |
| Adapter kit required    | KBT19 | KBT19 | -      | KBT19  |
|                         |       |       |        |        |
|                         |       |       |        |        |

Most popluar CIM0325 with a B42 Bin



Half cube size 10 (W) x 22 (D) x 22 (H) mm

Full cube size 22 (W) x 22 (D) x 22 (H) mm







#### The Right Ice



#### The Right Bin

All Available in either Full (F) or Half Cube (H) Ice Cubes



|                                       | CIM0335    | CIM0435    | CIM0535    | CIM0635    | CIM0835    | CIM1135    |
|---------------------------------------|------------|------------|------------|------------|------------|------------|
|                                       |            |            |            |            |            |            |
| Width                                 | 768mm      | 768mm      | 768mm      | 768mm      | 768mm      | 768mm      |
| Depth                                 | 616mm      | 616mm      | 616mm      | 616mm      | 616mm      | 616mm      |
| Height                                | 540mm      | 540mm      | 540mm      | 540mm      | 683mm      | 540mm      |
| Ice production<br>21°C Air 10°C Water | 132kg/24hr | 209kg/24hr | 240kg/24hr | 265kg/24hr | 418kg/24hr | 425kg/24hr |
| Ice production<br>32°C Air 21°C Water | 100kg/24hr | 161kg/24hr | 193kg/24hr | 204kg/24hr | 329kg/24hr | 374kg/24hr |
|                                       |            |            |            |            |            |            |

CIMO835 also available with Grand cube ice (CIMO835GA)

Grande cube size 22 (W) x 29 (D) x 31 (W) mm

|                         | B25          | B40   | B55    | B110   | B700*          |
|-------------------------|--------------|-------|--------|--------|----------------|
| Bins                    |              |       |        |        |                |
| Width                   | 762mm        | 762mm | 762mm  | 1219mm | 762mm          |
| Depth                   | 787mm        | 787mm | 787mm  | 787mm  | 864mm          |
| Height (including legs) | 711mm        | 953mm | 1270mm | 1270mm | 1372mm         |
| Bin storage             | 112kg        | 156kg | 232kg  | 421kg  | 542kg          |
| Adapter kit required    | _            | -     | -      | BPF-1  | -              |
| Most popluar CIMO43     | s with a B55 | Bin   |        |        | *Upright style |

ar CIM0435 with a B55 Bin bi

### **Cube Ice Makers**

'Gourmet' style Ice Makers with Built-in Storage Bins

Trending in any bar, restaurant or resort application. All machines are supplied with air cooled units as standard or optional water cooled units.

Cube size 29.5 (D) x 30.5 (H) mm





|                                       | UCG045A     | UCG065A   | UCG085A     | UCG105A     | UCG135A   | UCG165A   |
|---------------------------------------|-------------|-----------|-------------|-------------|-----------|-----------|
|                                       |             |           |             |             |           |           |
| Width                                 | 387mm       | 387mm     | 463mm       | 463mm       | 463mm     | 532mm     |
| Depth                                 | 510mm       | 510mm     | 566mm       | 566mm       | 566mm     | 601mm     |
| Height (including legs)               | 656mm       | 656mm     | 707mm       | 939mm       | 939mm     | 1059mm    |
| Bin storage                           | 8kg         | 8kg       | 15kg        | 15kg        | 22kg      | 40kg      |
| Ice production<br>10°C Water 10°C Air | 25kg/24hr   | 28kg/24hr | 40kg/24hr   | 48kg/24hr   | 57kg/24hr | 78kg/24hr |
| Ice production<br>10°C Water 21°C Air | 20.5kg/24hr | 27kg/24hr | 38.5kg/24hr | 47.5kg/24hr | 58kg/24hr | 69kg/24hr |

All models come with gravity drain as standard. External Drain pump available as optional extra

Most popular UCG085A

#### **Cube Ice Makers**

'Full or Half cube' style Ice Makers with Built-in Storage Bins

#### Full Cube

The perfect complement to any cocktail or beverage — make drinks look and taste better with this long-lasting, classic ice cube. The most popular choice for large volume applications like bagging and bulk cooling.

#### Half Cube

This smaller, easier to handle ice is perfect for blended drinks due to its ability to break down and create a smoother finish.

Easily delivered by our machines for consistent production and works well in dispensers.



|                                       | ICEU225/F | ICEU225/H | ICEU305/H  |
|---------------------------------------|-----------|-----------|------------|
|                                       |           |           |            |
| Width                                 | 610mm     | 610mm     | 762mm      |
| Depth                                 | 610mm     | 610mm     | 737mm      |
| Height (including legs)               | 991mm     | 991mm     | 991mm      |
| Bin storage                           | 34kg      | 34kg      | 59kg       |
| Ice production<br>10°C Water 10°C Air | 96kg/24hr | 96kg/24hr | 136kg/24hr |
| Ice production<br>15°C Water 21°C Air | 65kg/24hr | 65kg/24hr | 101kg/24hr |
|                                       |           |           |            |
|                                       |           |           |            |

Most popluar ICEU225F



# Modular Flake and Nugget Ice Makers

Nuggetl Ice dispenses smoothly, blends quickly and displaces liquid better than any other ice. Increased profits and higher customer satisfaction make this the perfect ice for restaurants, convenience stores and healthcare applications.

Flake ice extends the shelf life and appearance of seafood, fresh fruits and vegetables for fresher displays that help increase sales. Flake ice is also ideal for use in bakeries, perishable food transport and health care applications.



## Modular Flake and Nugget Ice Makers

Ice-O-Matic Flake Ice Makers offer a variety of practical, reliable options for carefree operation. Ice-O-Matic Flake Ice Makers produce slow-melting quality ice.

GEM Series Nugget Ice machines feature the benefits of decreased water and power usage compared to cube ice makers. Additionally, the stainless steel exterior construction, industry-leading in-line direct-drive technology and SystemSafe monitoring technology help reduce the number of costly breakdowns.



Nugget size 12.7 (H) x 9.55 (D)mm

349kg/24hr

Ice production

32°C Air 21°C Water



236kg/24hr

259kg/24hr

375kg/24hr

\*Gravity drain (External Drain pump optional

71kg/24hr



|                         | B25   | B40   | B42    | B55    | B110   |
|-------------------------|-------|-------|--------|--------|--------|
| Bins                    |       |       |        |        |        |
| Width                   | 762mm | 762mm | 559mm  | 762mm  | 1219mm |
| Depth                   | 787mm | 787mm | 787mm  | 787mm  | 787mm  |
| Height (including legs) | 711mm | 953mm | 1270mm | 1270mm | 1270mm |
| Bin storage             | 112kg | 156kg | 160kg  | 232kg  | 421kg  |
| Adapter kit required    | KBT23 | KBT23 | KBT24  | KBT23  | KBT23  |
|                         |       |       |        |        |        |

Most popluar GEM0655 and MFI0805 with a B40 Bin

## Ice Machine Accessories

| Name                  | Description | Suitable for                 | Code      |
|-----------------------|-------------|------------------------------|-----------|
| Drain Pump - External |             | All Ice models               | 99-05-860 |
|                       |             | 1100                         | 105.00    |
|                       |             | UCGo45A                      | ICE-SS46  |
|                       |             | UCGo65A                      | ICE-SS66  |
| Plinth                | 600mm tall  | UCGo85A                      | ICE-SS86  |
|                       |             | UCG105A                      | ICE-SS106 |
|                       |             | UCG135A                      | ICE-SS126 |
|                       |             | UCG165A                      | ICE-SS186 |
|                       |             | UCG045 to UCG165             | ICE-FILT1 |
| Filter                |             | ICEU225 to ICEU305           | ICE-FILT2 |
| riitei                |             | CIM0335 to ICE0305           | ICE-FILT3 |
|                       |             | CIMIO335 to ICEII35, GEMO055 | ICE-FILI3 |
|                       |             | UCG045 to UCG165, ICEF155    | ICE-CART1 |
| Replacement Cartridge | -           | ICEU225 to ICEU305           | ICE-CART2 |
|                       |             | CIM0335 to ICE1135, GEMO655  | ICE-CART3 |



## Ice Machine Maintenance

Ice is a food product. Scientific research has shown that certain bacteria and viruses can survive freezing for many hours and can also remain capable of growth in very strong alcoholic drinks. It is therefore important that ice does not become contaminated by airborne particles, food handlers or dirty utensils.

The most likely sources of contamination of ice are inadequate cleaning of the ice making machine or equipment and poor hygiene practices when handling the ice.

The ice storage compartment should be cleaned regularly, at least fortnightly, to prevent the build up of bacteria. It should be monitored for any growth of scum or slime and if such growths become apparent, it should be immediately cleaned according to the manufacturer's instructions. Its is important that your machine has filter changed every 6 months in order to keep the unit running smoothly and producing clean ice regualrly.

**NOTE:** For service contracts or to arrange a filter change please refer to the back of the product guide for more information.





| Sales / Orders    | 01432 346 018 | lceoMaticOrders@carpigiani.co.uk |
|-------------------|---------------|----------------------------------|
|                   |               |                                  |
| Service Helpline  | 01432 346 018 | servicedesk@carpigiani.co.uk     |
|                   |               |                                  |
| Spares            | 01432 346 018 | spareparts@carpigiani.co.uk      |
|                   |               |                                  |
| Technical Support | 01432 346 018 | servicesupport@carpigiani.co.uk  |

For more information on our product range please visit:

www.carpigiani.co.uk